


CILINDRO 40 design SLIDE Studio



Lampada da terra Anno di produzione: 2000 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 30 h 40 cm Peso: 2 Kg Imballaggio: 32 x 32 x 42 cm Volume imballaggio: 0,043 m³ Lampadaire Année de production: 2000 Versions: lumineuse. Matériaux: Polyéthylène. Dimensions: Ø 30 h 40 cm Poids: 2 Kg Emballage: 32 x 32 x 42 cm Volume emballage: 0,043 m³ Floor lamp Year of production: 2000 Versions: lighting. Material: Polyethylene. Dimensions: Ø 30 h 40 cm Weight: 2 Kg Packaging: 32 x 32 x 42 cm Packaging volume: 0,043 m³





CILINDRO 70 design SLIDE Studio



Lampada da terra Anno di produzione: 2000 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 55 h 72 cm Peso: 9 Kg Imballaggio: 56 x 56 x 73 cm Volume imballaggio: 0,229 m³ Lampadaire Année de production: 2000 Versions: lumineuse. Matériaux: Polyéthylène. Dimensions: Ø 55 h 72 cm Poids: 9 Kg Emballage: 56 x 56 x 73 cm Volume emballage: 0,229 m³ Floor lamp Year of production: 2000 Versions: lighting. Material: Polyethylene. Dimensions: Ø 55 h 72 cm Weight: 9 Kg Packaging: 56 x 56 x 73 cm Packaging volume: 0,229 m³






CILINDRO 80 / FLUO 80 design SLIDE Studio



Lampada da terra Anno di produzione: 2000 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 30 h 80 cm Peso: 5 Kg (IP20) - 3 Kg (IP55) Imballaggio: 31 x 31 x 81 cm Volume imballaggio: 0,078 m³ Lampadaire Année de production: 2000 Versions: lumineuse. Matériaux: Polyéthylène. Dimensions: Ø 30 h 80 cm Poids: 5 Kg (IP20) - 3 Kg (IP55) Emballage: 31 x 31 x 81 cm Volume emballage: 0,078 m³ Floor lamp Year of production: 2000 Versions: lighting. Material: Polyethylene. Dimensions: Ø 30 h 80 cm Weight: 5 Kg (IP20) - 3 Kg (IP55) Packaging: 31 x 31 x 81 cm Packaging volume: 0,078 m³






CILINDRO 130 / FLUO 130 design SLIDE Studio



Lampada da terra Anno di produzione: 2000 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 30 h 130 cm Peso: 7 Kg (IP20) - 5 Kg (IP55) Imballaggio: 31 x 31 x 135 cm Volume imballaggio: 0,13 m³ Lampadaire Année de production: 2000 Versions: lumineuse. Matériaux: Polyéthylène. Dimensions: Ø 30 h 130 cm Poids: 7 Kg (IP20) - 5 Kg (IP55) Emballage: 31 x 31 x 135 cm Volume emballage: 0,13 m³ Floor lamp Year of production: 2000 Versions: lighting. Material: Polyethylene. Dimensions: Ø 30 h 130 cm Weight: 7 Kg (IP20) - 5 Kg (IP55) Packaging: 31 x 31 x 135 cm Packaging volume: 0,13 m³






CILINDRO 170 / FLUO 170 design SLIDE Studio




Lampada da terra Anno di produzione: 2000 Versioni: luminosa. Materiali: Polietilene. Dimensioni: Ø 30 h 170 cm Peso: 10 Kg (IP20) - 8 Kg (IP55) Imballaggio: 31 x 31 x 175 cm Volume imballaggio: 0,168 m³ Lampadaire Année de production: 2000 Versions: lumineuse. Matériaux: Polyéthylène. Dimensions: Ø 30 h 170 cm Poids: 10 Kg (IP20) - 8 Kg (IP55) Emballage: 31 x 31 x 175 cm Volume emballage: 0,168 m³ Floor lamp Year of production: 2000 Versions: lighting. Material: Polyethylene. Dimensions: Ø 30 h 170 cm Weight: 10 Kg (IP20) - 8 Kg (IP55) Packaging: 31 x 31 x 175 cm Packaging volume: 0,168 m³





CILINDRO COMPONENTS






SYMBOLS

Ð	For indoor use.		Insulation class 1.	IP20	Protected against the intrusion of solid objects $\varnothing>12$ mm, not against water.
Ð	For indoor and outdoor use.		Insulation class 2.	IP44	Protected against the intrusion of solid objects $\emptyset > 1$ mm and splashing water.
h	Stackable item.		Insulation class 3.	IP55	Protected against the intrusion of dust and water jets.
૯	Conformity to the European Community instructions.	F	Device proper to direct assembly onto normally inflammable surfaces.	IP68	Fully protected against the intrusion of dust and immersion in water.
R	European Community registered model.	4	100% recyclable polyethylene.	X	Recycling and disposal of electronic waste (WEEE).

LIGHTING SYMBOLS



Lighting through flexible LED tube. The lower figure shows the MAXIMUM recommended power. The upper figure shows the number of allowed bulbs. The lower figure shows the MAXIMUM recommended power.



The upper figure shows the number of allowed neon tubes. The lower figure shows the MAXIMUM recommended power.

WIRING SYMBOLS



 \bigcirc

--w

Wiring with metal clamp. IP20 protection. Diameter 11 cm.



Wiring with metal base. IP55 protection. Diameter 10 cm. Fastening by hex screw key.



Wiring with metal base. IP55 protection. Diameter 20 cm. Fastening by hex screw key.



Wiring with plastic base and metal inserts. 12 - IP20 protection. E2 - IP55 protection. Diameter 10 cm. Fastening by slot screwdriver.

CANDY LIGHT LED10W

Wiring with plastic base for LED LP RGB100. IP44 protection. Diameter 10 cm.



Wiring with special base for KIT LED 1,5 WATT. IP55 protection. Diameter 11,6 cm.



Wiring with plastic screw base. 13 - IP20 protection. E3 - IP55 protection. Diameter 6 cm.

Wiring with plastic screw base.





Wiring with plastic screw base. 13 - IP20 protection. E3 - IP55 protection. Diameter 15 cm.

13 - IP20 protection. E3 - IP55 protection.



Special metal base. IP20 protection. Several sizes.

Diameter 10 cm.

MATERIAL PROPERTIES

Material: Linear low-density polyethylene - LLDPE. Production process: rotational moulding. Resistant to extreme temperatures (-60°C to +80°C). UV resistant (except for lighting colours). High tensile strength.

WARNING

- Keep away from excessive heat sources.
- Avoid any improper use. Do not stand on the products. When the product has to be moved, lift the product off the ground in order to avoid damage.
- Do not overload the pot structure in order to avoid deforming.
- Carefully comply with the maintenance & cleaning instructions.
- In case of malfunctioning or damage of the wiring or any electrical parts, refer to a qualified electrician.

MAINTENANCE & CLEANING

- To prevent dust and dirt from sticking to the plastic surfaces, periodically clean the products with a damp cloth and neutral liquid soap diluted in water.
- Avoid using ethanol or any liquids containing, even in small amounts, acetone, trichloroethylene or ammonia (solvents in general).
- It is recommended the use of SLIDE's "CleanUp" cleaner or a degreaser. Spray the cleaning product on the surface, rub with a damp cloth and rinse abundantly with water (preferably with a high pressure washer). In case of persistent stains use a high pressure washer or scrub eraser.

The use of the scrub eraser (melamine foam - Scotch-Brite® Easy Eraser or similar) is only recommended for white colour, as they are slightly abrasive.

- The lacquered version is also suitable for outdoor use, however it is more sensitive to scratches: periodically clean with a polish cleaner, gently rubbing with soft cloth/cotton wool.
- Cushions can be cleaned with a damp cloth, neutral liquid soap and water.
- For metal parts use specific cleaners.

SUSTAINABILITY & RECYCLING

All SLIDE products are 100% recyclable. Furthermore, grey, black and chocolate matt colours are produced with recycled polyethylene. SLIDE has a closed production cycle with no health prejudicial emissions and complying with ecological sustainibility rules.

When a product reaches the end of its life, do not treat the product or any of its parts as domestic waste. Dispose by sending to differentiated collection centres.

RESPONSIBILITY & RETURNS

SLIDE declines any liability to damages caused to things or persons by an illegitimate use of the product. SLIDE won't accept any returned goods without having checked the kind of defects first.

WARRANTY

SLIDE products are guaranteed against all manufacturing faults, granted that the items are appropriately used, for twenty-four (24) months from the date of purchase upon presentation of the invoice.

LED KITS only are guaranteed for twelve (12) months from the date of purchase.

Warranty doesn't include parts that are subject to wear and tear due to usage, batteries when provided, wiring and electrical parts that do not have manufacturing faults.